

KOBBER



RØR HÅRDE

LEGERING CW024A / CU-DHP

LÆNGDE 5000 - 5500 (MM)

KG/MTR	ID x UD	KG/MTR	ID x UD	KG/MTR	ID x UD
0,08	2 x 4	0,52	11 x 14	0,86	19 x 22
0,11	3 x 5	0,37	12 x 14	0,59	20 x 22
0,14	4 x 6	0,72	11 x 15	1,76	18 x 24
0,17	5 x 7	0,57	12 x 15	1,23	20 x 24
0,27	5 x 8	0,39	13 x 15	2,80	15 x 25
0,20	6 x 8	1,10	10 x 16	1,85	19 x 25
0,39	5 x 9	0,78	12 x 16	1,29	21 x 25
0,32	6 x 9	0,61	13 x 16	0,99	22 x 25
0,22	7 x 9	0,44	14 x 16	0,67	23 x 25
0,45	6 x 10	1,26	12 x 18	1,34	22 x 26
0,36	7 x 10	0,90	14 x 18	2,10	22 x 28
0,25	8 x 10	0,66	15 x 18	1,48	24 x 28
0,40	8 x 11	0,48	16 x 18	1,11	25 x 28
0,28	9 x 11	0,95	15 x 19	0,75	26 x 28
0,76	6 x 12	0,73	16 x 19	1,51	25 x 29
0,56	8 x 12	2,10	10 x 20	3,50	20 x 30
0,44	9 x 12	1,43	14 x 20	2,26	24 x 30
0,31	10 x 12	1,01	16 x 20	1,20	27 x 30
0,61	9 x 13	0,78	17 x 20	0,81	28 x 30
0,48	10 x 13	0,53	18 x 20	2,43	26 x 32
0,34	11 x 13	1,51	15 x 21	1,68	28 x 32
0,67	10 x 14	1,11	18 x 22	1,28	29 x 32

Noter: ID=Indvendig, UD=Udvendig

KOBBER

RØR HÅRDE



LEGERING CW024A / CU-DHP

LÆNGDE 5000 - 5500 (MM)

KG/MTR	ID x UD	KG/MTR	ID x UD	KG/MTR	ID x UD
0,87	30 x 32	3,77	42 x 48	5,69	64 x 70
2,60	28 x 34	2,57	44 x 48	3,83	66 x 70
1,79	30 x 34	2,63	45 x 49	4,08	71 x 75
4,20	25 x 35	6,30	40 x 50	10,49	70 x 80
2,68	29 x 35	3,94	44 x 50	5,41	75 x 80
1,84	31 x 35	2,69	46 x 50	6,55	82,5 x 88
1,41	32 x 35	2,79	48 x 52	11,88	80 x 90
1,90	32 x 36	4,28	48 x 54	4,86	84,9 x 88,9
2,93	32 x 38	2,90	50 x 54	7,05	89 x 94,5
2,01	34 x 38	4,36	49 x 55	13,28	90 x 100
2,07	35 x 39	2,96	51 x 55	14,68	100 x 110
4,89	30 x 40	4,45	50 x 56	17,48	120 x 130
2,13	36 x 40	4,61	52 x 58	18,87	130 x 140
3,28	36 x 42	7,68	50 x 60	20,27	140 x 150
2,24	38 x 42	4,78	54 x 60	21,67	150 x 160
1,70	39 x 42	3,24	56 x 60	27,26	190 x 200
3,44	38 x 44	4,60	57 x 62,5	28,66	200 x 210
3,52	39 x 45	3,52	61 x 65	34,25	240 x 250
2,40	41 x 45	5,29	60 x 66	22,15	261 x 267
2,46	42 x 46	9,09	60 x 70		

Noter: ID=Indvendig, UD=Udvendig

KOBBER



RØR HÅRDE

LEGERING CW024A / CU-DHP (TOMMEMÅL)

LÆNGDE 5000 - 5500 (MM)

KG/MTR	ID x UD	UT x G
0,15	4,35 x 6,35	1/4" x 1,0
0,23	5,54 x 7,94	5/16" x 1,2
0,32	6,73 x 9,53	3/8" x 1,4
0,50	9,50 x 12,70	1/2" x 1,6
0,64	12,68 x 15,88	5/8" x 1,6
0,93	19,03 x 22,23	7/8" x 1,6
1,31	21,40 x 25,40	1" x 2,0
1,21	25,38 x 28,58	1 1/8" x 1,6
1,66	27,75 x 31,75	1 1/4" x 2,0
1,35	28,55 x 31,75	1 1/4" x 1,6
2,73	46,80 x 50,80	2" x 2,0
3,82	52,15 x 57,15	2 1/4" x 2,5
4,00	72,10 x 76,10	3" x 2,0
7,37	102,95 x 107,95	4 1/4" x 2,5
10,90	127,35 x 133,35	5 1/4" x 3,0
13,10	152,75 x 158,75	6 1/4" x 3,0

Noter: ID=Indvendig, UD=Udvendig, UT=Udvendig tommemål, G=Godstykkelse

KOBBER

RØR BLØDE



LEGERING CW024A / CU-DHP

LÆNGDE I RINGE Å 25-50 MTR

G/MTR	ID x UD	G/MTR	ID x UD
20	1 x 2	250	8 x 10
45	1,5 x 3	310	10 x 12
80	2 x 4	370	12 x 14
110	3 x 5	390	13 x 15
140	4 x 6	440	14 x 16
200	6 x 8		

Noter: ID=Indvendig, UD=Udvendig

LEGERING CW024A / CU-DHP (TOMMEMÅL)

LÆNGDE I RINGE Å 25-50 MTR

G/MTR	ID x UD	UT x G
89	3,16 x 4,75	3/16" x 0,80
124	4,75 x 6,36	1/4" x 0,80
160	6,34 x 7,94	5/16" x 0,80
195	7,93 x 9,53	3/8" x 0,80
240	7,53 x 9,53	3/8" x 1,00
327	10,70 x 12,70	1/2" x 1,00
337	14,10 x 15,88	5/8" x 0,89

Noter: ID=Indvendig, UD=Udvendig, UT=Udvendig tommemål, G=Godstykkelser