

RUSTFRI

Ø STÆNGER



LEGERING — — FARVEKODE	AISI WST-NR.	AISI 303 1.4305 (AUTOMAT) CR18NI9S ■	AISI 316L 1.4404 (SYREFAST) CRNiMo17-12-2 ■
LÆNGDE		3000 (MM)	3000 (MM)
KG/MTR	Ø		
0,10	4	T	
0,15	5	T	
0,22	6	T	T
0,30	7	T	
0,40	8	T	T
0,62	10	T	T
0,89	12	T	T
1,04	13	T	
1,20	14	T	
1,39	15	T	
1,58	16	T	T
2,00	18	T	T
2,47	20	T	T
3,85	25	T	T
4,83	28	T	
5,55	30	T	T
6,31	32	T	T
7,55	35	T	
9,87	40	T	V
15,41	50	T	V
22,20	60		V
39,46	80		V
55,64	95		V
67,97	105		V
88,78	120		V

Noter: Ø=Diameter, T=Trukket/Slebet, V=Valset/Smedet

RUSTFRI

FLAD SKINNER

LEGERING — — FARVEKODE	AISI WST-NR.	AISI 304 1.4301 CR18Ni10 □	AISI 316L 1.4404 (SYREFAST) CRNiMo17-12-2 ■
LÆNGDE		4000-6000 (MM)	4000-6000 (MM)
KG/MTR	H x B		
0,24	3 x 10	S	
0,35	3 x 15	S	
0,47	3 x 20	S	
0,60	3 x 25	S	
0,71	3 x 30	S	
0,94	3 x 40	S	
1,18	3 x 50	S	
0,63	4 x 20	S	
0,94	4 x 30	S	
1,57	5 x 40	S	S
1,96	5 x 50	S	S
3,14	5 x 80	S	
3,93	5 x 100	S	
3,77	6 x 80	S	
1,88	8 x 30	S	
2,51	8 x 40	S	
3,77	8 x 60	S	
1,57	10 x 20	S	
2,36	10 x 30	S	S
3,14	10 x 40	S	
3,93	10 x 50	S	S
6,28	10 x 80	S	

Noter: H=Højde, B=Bredde, S=Skåret fra plade, V=Varmvalset

RUSTFRI

FLAD SKINNER

LEGERING — — FARVEKODE	AISI WST-NR.	AISI 304 1.4301 CR18Ni10 □	AISI 316L 1.4404 (SYREFAST) CRNiMo17-12-2 ■
LÆNGDE		4000-6000 (MM)	4000-6000 (MM)
KG/MTR	H x B		
7,85	10 x 100	S	
9,42	10 x 120		V
15,70	10 x 200	S	
19,63	10 x 250	S	
2,94	15 x 25		V
3,53	15 x 30	V	
4,71	15 x 40	V	
5,89	15 x 50	V	V
11,80	15 x 100	V	
4,71	20 x 30	V	
7,07	20 x 40	V	V
7,85	20 x 50	V	V
9,42	20 x 60	V	V
14,70	20 x 100	V	
18,80	40 x 60		V

Noter: H=Højde, B=Bredde, S=Skåret fra plade, V=Varmvalset

“

MERE END 175 DIMENSIONER
I RUSTFRI STÅL PÅ LAGER

”

RUSTFRI



LEGERING AISI 304 / 1.4301 / CR18Ni10 (VARMVALSET OG BEJDSET)

LÆNGDE 4000 - 6000 (MM)

KG/MTR	G x H x B	KG/MTR	G x H x B	KG/MTR	G x H x B
0,89	3 x 20 x 20	2,96	5 x 30 x 50	4,45	6 x 50 x 50
1,37	3 x 20 x 40	3,40	5 x 30 x 60	9,41	6 x 100 x 100
1,12	3 x 25 x 25	3,70	5 x 40 x 60	9,70	8 x 80 x 80
1,36	3 x 30 x 30	3,77	5 x 50 x 50		
2,42	4 x 40 x 40	6,80	6 x 50 x 100		

Noter: G=Godstykkelser, H=Højde, B=Bredde

RUSTFRI



LEGERING AISI 304 / 1.4301 / CR18Ni10 (VARMVALSET OG BEJDSET)

LÆNGDE 4000 - 6200 (MM)

KG/MTR	B x H x G/L	KG/MTR	B x H x G/L
0,86	20 x 10 x (3 x 3,5)/13	4,37	60 x 30 x 6/48
1,37	30 x 15 x (3 x 3,5)/23	5,90	80 x 40 x 5/70
1,78	40 x 20 x (3 x 3,5)/33	7,65	100 x 50 x 5/90
2,28	50 x 25 x 3/44		

Noter: B=Bredde, H=Højde, G=Godstykkelser, L=Lysning

RUSTFRI



LEGERING — — FARVEKODE	AISI WST-NR.	AISI 304 1.4301 CR18NI10 □	AISI 316L 1.4404 (SYREFAST) CRNiMo17-12-2 ■
LÆNGDE		6000 (MM)	6000 (MM)
KG/MTR	ID x UD		
0,23	8 x 10	X	
0,28	10 x 12	X	
0,35	13 x 15	X	
0,55	13 x 16	X	
0,62	16 x 18	X	
0,69	17 x 20 (S)	X	
0,48	18 x 20	X	
0,77	19 x 22	X	
1,16	21 x 25 (S)	X	
1,58	21,7 x 26,9		X
0,60	23 x 25	X	
1,41	26 x 30	X	
1,07	27 x 30 (S)	X	
1,50	28 x 32	X	
1,65	31 x 35	X	
1,80	34 x 38 (S)	X	
1,91	36 x 40	X	
2,96	36,4x42,4 (S)	X	
1,46	37 x 40	X	
2,04	38,4 x 42,4 (S)	X	
3,61	41,9 x 48,3		X
2,90	43,3 x 48,3	X	
2,33	44,3 x 48,3 (S)	X	
2,42	46 x 50	X	

Noter: ID=Indvendig, UD=Udvendig, (S)=Slebet korn 240, X=Lagervare


RUSTFRI



LEGERING — — FARVEKODE LÆNGDE KG/MTR	AISI WST-NR. ID x UD	AISI 304 1.4301 CR18Ni10 □ 6000 (MM)	AISI 316L 1.4404 (SYREFAST) CRNiMO17-12-2 ■ 6000 (MM)
5,11	53,1 x 60,3		X
2,75	56,3 x 60,3		X
3,40	66 x 70	X	
3,93	76 x 80	X	
4,35	84,9 x 88,9	X	

Noter: ID=Indvendig, UD=Udvendig, (S)=Slebet korn 240, X=Lagervare

RUSTFRI




LEGERING AISI 304 / 1.4301 / CR18Ni10 (SVEJST OG BEJDSET)
LÆNGDE 6000 (MM)

KG/MTR	H x B x G	KG/MTR	H x B x G
0,30	10 x 10 x 1	2,50	40 x 40 x 2
0,92	20 x 20 x 1,5 (S)	2,18	20 x 50 x 2
1,20	20 x 20 x 2	1,78	25 x 50 x 1,5 (S)
1,16	20 x 30 x 1,5	2,50	30 x 50 x 2
1,16	25 x 25 x 1,5	3,16	50 x 50 x 2
1,41	30 x 30 x 1,5 (S)	2,83	30 x 60 x 2 (S)
1,85	30 x 30 x 2 (S)	3,16	40 x 60 x 2
1,29	15 x 40 x 1,5	5,63	60 x 60 x 3 (S)
1,41	20 x 40 x 1,5	12,62	100 x 100 x 4 (S)

Noter: H=Højde, B=Bredde, G=Godstykkelser, (S)=Slebet korn 240

RUSTFRI



LEGERING AISI 304 / 1.4301 / CR18Ni10

KG/STK	T x B x L	DESSIN
9,6	0,60 x 1000 x 2000	SLEBET KORN 180
12,8	0,80 x 1000 x 2000	SLEBET KORN 180
16,0	1,00 x 1000 x 2000	SLEBET KORN 180
24,0	1,50 x 1000 x 2000	SLEBET KORN 180
32,0	2,00 x 1000 x 2000	SLEBET KORN 180
12,8	0,80 x 1000 x 2000	MAT
16,0	1,00 x 1000 x 2000	BLANKGLØDET
20,0	1,25 x 1000 x 2000	BLANKGLØDET
12,8	0,80 x 1000 x 2000	ROSSET-SLEBET

Noter: T=Tykkelse, B=Bredde, L=Længde

RUSTFRI



LEGERING AISI 304 / 1.4301 / CR18Ni10

KG/MTR	T x B	DESSIN
1,68	0,70 x 300	SLEBET KORN 180
1,20	0,50 x 300	BLANKGLØDET
1,68	0,70 x 300	BLANKGLØDET

Noter: T=Tykkelse, B=Bredde